






PARTS LIST						
No	QTY	PN	ITEM	TYPE	FAM	STYLE
1	1	055-1289-01	FOUNDATION ASSY	WP STANDARD	MATSUURA RA-3GDC	800 X 490
2	1	050-2-10062	KIT	FOUNDATION MOUNTING	M16 TAPPED HOLE	(12) M16 X 35 SHCS
3	2	106-9-10003	5QL1040-AL	ALUMINUM QWIK-LOK	5-1040	SHIPPING GROUP
4	1	990-50-002	PACKAGING	WOOD SHIPPING PALLET	36" X 54"	NA
5	2	058-9-10001	MPIN12S	ROUND & DIAMOND PIN SET	SYSTEM 5 & M SYSTEM	12mm DIA. x 19mm LONG



MATERIAL: NA	UNSPECIFIED TOLERANCES: X ±0.2 X.X ±0.1 X.XX ±0.05 ANGLES ±0.5° ALL DIMENSIONS ARE MILLIMETERS.	 (800) 332-4425 (724) 772-1644 www.ChickWorkholding.com	ITEM: WORK PKG - VMC	BCE 1 OF 3 REV A 9/17/2007 5VP-MATS-00163
HARDNESS: NA			TYPE: MATSUURA RA-3GDC	
COATING: NA			FAM: 5QL1040-AL (2)	
WEIGHT: 144100 g			STYLE: 800 X 490	
COMMENTS:			UNSPECIFIED EDGES: BREAK 0.3 TO 0.8 UNSPECIFIED FILLETS: RADIUS 0.3 MAX	






MATERIAL:	NA
HARDNESS:	NA
COATING:	NA
WEIGHT:	144100 g
COMMENTS:	

UNSPECIFIED TOLERANCES:	
X	±0.2
X.X	±0.1
X.XX	±0.05
ANGLES	±0.5°
ALL DIMENSIONS ARE MILLIMETERS.	


 (800) 332-4425
 (724) 772-1644
www.ChickWorkholding.com
 UNSPECIFIED EDGES: BREAK 0.3 TO 0.8
 UNSPECIFIED FILLETS: RADIUS 0.3 MAX

ITEM:	WORK PKG - VMC		
TYPE:	MATSUURA RA-3GDC		
FAM:	5QL1040-AL (2)		
STYLE:	800 X 490		
BCE	2 OF 3	SVP-MATS-00163	REV A
9/17/2007			

"X" DENOTES OMISSION
OF BUSHED GRID HOLE
8 PLACES



05E-1299-101 CXXXXXX

MATERIAL: NA
HARDNESS: NA
COATING: NA
WEIGHT: 144100 g
COMMENTS:

UNSPECIFIED TOLERANCES:
 X ±0.2
 X.X ±0.1
 X.XX ±0.05
 ANGLES ±0.5°
 ALL DIMENSIONS ARE MILLIMETERS.

(800) 332-4425
(724) 772-1644
www.ChickWorkholding.com

UNSPECIFIED EDGES: BREAK 0.3 TO 0.8
 UNSPECIFIED FILLETS: RADIUS 0.3 MAX

ITEM: WORK PKG - VMC		REV A
TYPE: MATSUURA RA-3GDC		
FAM: 5QL1040-AL (2)		5VP-MATS-00163
STYLE: 800 X 490		
BCE	3 OF 3	
9/17/2007		