









PARTS LIST						
No	QTY	PN	ITEM	TYPE	FAM	STYLE
1	1	050-2-10014	KIT	FOUNDATION MOUNTING	14mm T-SLOT	(12) M12 X 35 SHCS
2	1	055-1108-01	FOUNDATION ASSY	WP STANDARD	FANUC ROBO DRILL	748 x 449
3	1	990-50-021	PACKAGING	SHIPPING CRATE	FOUNDATIONS	36" X 36"



MATERIAL: NA	UNSPECIFIED TOLERANCES: X ±0.2 X.X ±0.1 X.XX ±0.05 ANGLES ±0.5° ALL DIMENSIONS ARE MILLIMETERS.	 (800) 332-4425 (724) 772-1644 www.ChickWorkholding.com	ITEM: WORK PKG - VMC	REV	
HARDNESS: NA			TYPE: FANUC ROBO DRILL T14(21)jFb		A
COATING: NA			FAM: FOUNDATION ONLY	TDD	
WEIGHT: 110315 g			STYLE: 748 X 449	9/23/2010	5VP-ROBO-00093
COMMENTS:		UNSPECIFIED EDGES: BREAK 0.3 TO 0.8			
		UNSPECIFIED FILLETS: RADIUS 0.3 MAX			



35 [1.38 in]
FOUNDATION
THICKNESS




MATERIAL: NA
HARDNESS: NA
COATING: NA
WEIGHT: 110315 g
COMMENTS:

UNSPECIFIED TOLERANCES:
 X ±0.2
 X.X ±0.1
 X.XX ±0.05
 ANGLES ±0.5°
 ALL DIMENSIONS ARE MILLIMETERS.


CHICK (800) 332-4425
 (724) 772-1644
 www.ChickWorkholding.com

ITEM: WORK PKG - VMC
TYPE: FANUC ROBODRILL T14(21)iFb
FAM: FOUNDATION ONLY
STYLE: 748 X 449


TDD	2 OF 3	SVP-ROBO-00093	REV A
9/23/2010			



SECTION A-A



DETAIL B



MATERIAL: NA
HARDNESS: NA
COATING: NA
WEIGHT: 110315 g
COMMENTS:

UNSPECIFIED TOLERANCES:

X	±0.2
X.X	±0.1
X.XX	±0.05
ANGLES	±0.5°

ALL DIMENSIONS ARE MILLIMETERS.

CHICK (800) 332-4425
 (724) 772-1644
www.ChickWorkholding.com

UNSPECIFIED EDGES: BREAK 0.3 TO 0.8
 UNSPECIFIED FILLETS: RADIUS 0.3 MAX

ITEM: WORK PKG - VMC	TYPE: FANUC ROBO DRILL T14(21)iFb	
FAM: FOUNDATION ONLY	STYLE: 748 X 449	
TDD	3 OF 3	REV A
9/23/2010	5VP-ROBO-00093	